

HMI KINCO

01.11.2025.

Model	Price (€)	Display size (")	Resolution
Touch panel		Green GL series	
GL043	140.00	4.3	480x272
GL043E	150.00	4.3	480x272
GL070	150.00	7	800x480
GL070E	160.00	7	800x480
GL100	250.00	10.1	1024x600
GL100E	260.00	10.1	1024x600
GL150E	980.00	15	1024x600

Touch panel	Green G series		
G121E	820.00	12.1	800x600

Touch panel	Green GH series		
GH070	250.00	7	800x480
GH070E	390.00	7	800x480
Touch panel		Green IoT (GT) series	
GT070HE	160.00	7	1024x600
GT070HE-WiFi	230.00	7	1024x600
Touch panel		Green G2 series	
G2070HE	190.00	7	1024x600
G2100E	290.00	10	1024x600
G2156E	750.00	15.6	1920x1080

HMI KINCO

22.03.2024.

Model	Cena (€)	Display size (")	Resolution
Touch panel		MT4000 series	
MT4230T	160.00	4.3	480x272
MT4414T	230.00	7	800x480
MT4414TE	260.00	7	800x480
MT4434T	200.00	7	800x480
MT4512T	390.00	10.1	800x480
MT4512TE	473.00	10.1	800x480
MT4532T	360.00	10.1	1024x600
MT4513T	440.00	10.4	800x600
MT4513TE	470.00	10.4	800x600
MT4620TE	1,100.00	12.1	800x600
Alphanumeric display			
MD224L	105.00	3.7	192x64

PLC&HMI KINCO

22.03.2024.

Model	Price (€)	Description, digital I/O	Analog I/O	Expansion	Ports
PLC+HMI HP series					
HP043-20DT	185.00	24Vdc, 9DI/9DO(9x PNP); 4,3"HMI	2xAI (0-10V)	-	1xRS485
HP070-33DT	245.00	24Vdc, 16DI/14DO(14x PNP); 7"HMI	2xAI / 1xAO	to 8 KS mds	2xRS485

PLC+HMI MK series					
MK043E-20DT	195.00	24Vdc, 9DI/9DO(9x PNP); 4,3"HMI	2xAI (0-10V)	to 8 KS mds	1xEth.; 1xRS485; 1x CAN
MK043E-27DT	210.00	24Vdc, 10DI/10DO(10x PNP)/4DIO; 4,3"HMI	2xAI / 1xAO	to 8 KS mds	1xEth.; 1xRS485; 1x CAN
MK070E-27DRT	265.00	24Vdc, 12DI/12DO(12x PNP); 7"HMI	3x RTD Pt100	to 8 KS mds	1xEth.; 1xRS485; 1x CAN
MK070E-33DT	265.00	24Vdc, 16DI/14DO(14x PNP); 7"HMI	2xAI / 1xAO	to 8 KS mds	1xEth.; 2xRS485; 1x CAN
MK070E-32DX	265.00	24Vdc, 16DI/16DO(4x PNP; 12x relay); 7"HMI		to 8 KS mds	1xEth.; 2xRS485; 1x CAN

PLC KINCO

01.04.2026.

Model	Price (€)	Description, digital I/O	Analog I/O	Expansion	Ports
PLC K2 series					
K205-16DT	78.00	24Vdc, 6DI/6DO(6xPNP)/4DIO	-		1xmUSB, 2xRS485
K205-16DR	85.00	24Vdc, 6DI/6DO(6xrelay)/4DIO	-		1xmUSB, 2xRS485
K205EX-22DT	95.00	24Vdc, 8DI/8DO(8xPNP)/6DIO	-		1xmUSB, 2xRS485
K205EA-18DT	100.00	24Vdc, 8DI/8DO(8xPNP)	1xAI / 1xAO		1xmUSB, 2xRS485
K209EA-50DX	260.00	24Vdc, 22DI/20DO(8xPNP; 12x relay)	6xAI / 2xAO		1xmUSB, 2xRS485
K209M-56DT	310.00	24Vdc, 32DI/24DO(24xPNP)	-	to 14 KS mds	2xCAN; 1xRS232; 2xRS485

PLC K6 series					
K606-24DT	175.00	24Vdc, 14DI/10DO(10xPNP)	-	to 14 K5 mds	1xEthernet; 2xRS485
K606-24AR	175.00	230Vac, 14DI/10DO(10x relay)	-	to 14 K5 mds	1xEthernet; 2xRS485
K606-24DR	175.00	24Vdc, 14DI/10DO(10x relay)	-	to 14 K5 mds	1xEthernet; 2xRS485
K606EA-30DT	295.00	24Vdc, 14DI/10DO(10x PNP)	4xAI / 2xAO	to 14 K5 mds	1xEthernet; 2xRS485
K608-40DT	230.00	24Vdc, 24DI/16DO(16x PNP)	-	to 14 K5 mds	1xEthernet; 2xRS485
K608-40DR	230.00	24Vdc, 24DI/16DO(16x relay)	-	to 14 K5 mds	1xEthernet; 2xRS485
KB6-4DI	10.00	Expansion board 4xDI	-		
KB6-4DO	15.00	Expansion board 4xDO (4x PNP)	-		
KB6-CAN	25.00	Expansion board 1xCAN	-		1xCAN
KB6-2COM	15.00	Expansion board 1xRS232; 1xRS485	-		1xRS232; 1xRS485

PLC AK8X0 series		CPU units EtherCAT CoDeSys motion controllers			
AK840M-0808DT	530.00	CPU unit, 24Vdc, 8DI/8DO(8xNPN)	-	to 16 Exp.	1xEthCAT;2xEthernet;1xRS485
AK840M-0808DT	530.00	CPU unit, 24Vdc, 8DI/8DO(8xPNP)	-	to 16 Exp.	1xEthCAT;2xEthernet;1xRS485
AK810M-1616DT	800.00	CPU unit, 24Vdc, 16DI/16DO(16xPNP)	-	to 16 Exp.	1xEthCAT;2xEthernet;1xRS485
AK8X0 series		Exp. units			
RP20-1600DT	60.00	16DI (Sourcing/Sinking)	-		
RP20-0016DTP	65.00	16DO (16xPNP)	-		
RP20-0016DTN	65.00	16DO (16xNPN)	-		
RP20-0808DTP	65.00	8DI (Sourcing)/ 8DO (8xPNP)	-		
RP20-0008DR	90.00	8DO (8x relay NO)	-		
RP20-0400RD	140.00	-	4RTD (Pt100)		
RP20-0400TC	140.00	-	4xTC input		
RP20-0400IV	140.00	-	4xAI		
RP20-0004IV	140.00	-	4xAO		
RP20-0202IV	140.00	-	2xAI; 2xAO		
RP20-PW	40.00	Power modul: Input: 24V			Output: 5V, 2A
BD20-COM	35.00	Expansion module			1xRS232; 1xRS485
BD20-CAN	50.00	Expansion module			1x CAN
BD20-04DI	30.00	4DI (Sourcing/Sinking)			
BD20-04DO	30.00	4DO (4xPNP/NPN)			
BD20-TF	30.00				

PLC	KS series	CPU units			
KS105-16DT	110.00	CPU unit, 24Vdc, 8DI/8DO(8xPNP)	-	to 14 KS mds	1xRS232; 1xRS485
KS105C1-16DT	210.00	CPU unit, 24Vdc, 8DI/8DO(8xPNP)	-	to 14 KS mds	1xCAN; 1xRS232; 1xRS485
KS series		Exp. units			
KS121-16DX	60.00	16DI	-		
KS122-14DT	65.00	14DO (14xPNP)	-		
KS122-12XR	70.00	12DO (12x relay)	-		
KS123-14DR	60.00	8DI/ 6DO (6x relay)	-		
KS131-04RD	130.00	-	4RTD (Pt100)		
KS133-06IV	140.00	-	4xAI / 2xAO		

PLC	K5 series	CPU units			
K506-24AR	160.00	230Vac, 14DI/10DO(10x relay)	-	to 10 K5 mds	1xRS232; 2xRS485
K506-24AT	160.00	230Vac, 14DI/10DO(10x PNP)	-	to 10 K5 mds	1xRS232; 2xRS485
K506-24DR	160.00	24Vdc, 14DI/10DO(10x relay)	-	to 10 K5 mds	1xRS232; 2xRS485
K506-24DT	160.00	24Vdc, 14DI/10DO(10x PNP)	-	to 10 K5 mds	1xRS232; 2xRS485
K506EA-30AT	270.00	230Vac, 14DI/10DO(10x PNP)	4xAI / 2xAO	to 10 K5 mds	1xRS232; 2xRS485
K506EA-30DT	270.00	24Vdc, 14DI/10DO(10x PNP)	4xAI / 2xAO	to 10 K5 mds	1xRS232; 2xRS485
K508-40AR	195.00	230Vac, 24DI/16DO(16x relay)	-	to 10 K5 mds	1xRS232; 2xRS485
K508-40AT	195.00	230Vac, 24DI/16DO(16x PNP)	-	to 10 K5 mds	1xRS232; 2xRS485
K508-40AX	195.00	230Vac, 24DI/16DO(4x PNP; 12x relay)	-	to 10 K5 mds	1xRS232; 2xRS485
K508-40DR	195.00	24Vdc, 24DI/16DO(16x relay)	-	to 10 K5 mds	1xRS232; 2xRS485
K508-40DT	195.00	24Vdc, 24DI/16DO(16x PNP)	-	to 10 K5 mds	1xRS232; 2xRS485
K508-40DX	195.00	24Vdc, 24DI/16DO(4x PNP; 12x relay)	-	to 10 K5 mds	1xRS232; 2xRS485
K5 series		Exp. units			
K521-08DX	55.00	8DI	-		
K521-16DX	75.00	16DI	-		
K522-08XR	70.00	8DO (8x relay)	-		
K522-16XR	70.00	16DO (16x relay)	-		
K522-08DT	75.00	8DO (8xPNP)	-		
K522-16DT	95.00	16DO (16xPNP)	-		
K523-08DR	65.00	4DI/4DO (4x relay)	-		
K523-16DR	90.00	8DI/ 8DO (8x relay)	-		
K523-08DT	65.00	4DI/4DO (4x PNP)	-		
K523-16DT	90.00	8DI/ 8DO (8x PNP)	-		
K531-04IV	120.00	-	4xAI		
K531-04RD	130.00	-	4RTD (Pt100)		
K531-04TC	130.00	-	4x TC input		
K532-02IV	120.00	-	2xAO		
K533-04IV	140.00	-	2xAI / 2xAO		

KINCO VFDs

KC100 Series		22.03.2024.	
Model	Power	Price (€)	Output current [A]
KC100 - Monophase supply 230V, 50Hz			
KC100-2S-0R40G	0,4 KW	100.00	2.5
KC100-2S-0R75G	0,75 KW	110.00	4.0
KC100-2S-01R5G	1,5 KW	130.00	7.5
KC100-2S-02R2G	2,2 KW	150.00	10.0
KC100 - Triphase supply 400V, 50Hz			
KC100-4T-0R75G	0,75 KW	130.00	2.3
KC100-4T-01R5G	1,5 KW	140.00	3.7
KC100-4T-02R2G	2,2 KW	150.00	5.5
KC100-4T-03R7G	3,7 KW	190.00	8.8
KC100-4T-05R5G	5,5 KW	220.00	13.0

KC200 Series		01.04.2026.	
Model	Power	Price (€)	Output current [A]
KC200 - Triphase supply 400V, 50Hz			
KC200-4T-0R75G/01R5L	0,7/1,5 KW	185.00	2.3 / 3.7
KC200-4T-01R5G/02R2L	1,5/2,2 KW	190.00	3.7 / 5.5
KC200-4T-02R2G/03R7L	2,2/3,7 KW	220.00	5.5 / 8.8
KC200-4T-03R7G/05R5L	3,7/5,5 KW	250.00	8.8 / 13.0
KC200-4T-05R5G/07R5L	5,5/7,5 KW	275.00	13.0 / 17.0
KC200-4T-07R5G/0011L	7,5/11 KW	300.00	17.0 / 25.0
KC200-4T-0011G/0015L	11/15 KW	360.00	25.0 / 32.0
KC200-4T-0015G/0018L	15/18,5 KW	445.00	32.0 / 37.0
KC200-4T-0018G/0022L	18,5/22 KW	505.00	37.0 / 45.0
KC200-4T-0022G/0030L	22/30 KW	650.00	45.0 / 60.0
KC200-4T-0030G/0037L	30/37 KW	830.00	60.0 / 75.0

CV20 Series		22.03.2024.	
Model	Power	Price (€)	Output current [A]
CV20 - Monophase supply 230V, 50Hz			
CV20-2S-0004	0,4 KW	100.00	2.5
CV20-2S-0007	0,75 KW	110.00	4.0
CV20-2S-0015	1,5 KW	130.00	7.5
CV20 - Triphase supply 400V, 50Hz			
CV20-4T-0007G	0,75 KW	130.00	2.3
CV20-4T-0015G	1,5 KW	140.00	3.7
CV20-4T-0022G	2,2 KW	150.00	5.5
CV20-4T-0037G	3,7 KW	190.00	7.8

FV20 Series		22.03.2024.	
Model	Power	Price (€)	Output current [A]
FV20 - Triphase supply 400V, 50Hz			
FV20-4T-0007G/0015L	0,7/1,5 KW	180.00	2.3 / 3.7
FV20-4T-0015G/0022L	1,5/2,2 KW	185.00	3.7 / 5.5
FV20-4T-0022G/0037L	2,2/3,7 KW	210.00	5.5 / 8.8
FV20-4T-0037G/0055L	3,7/5,5 KW	250.00	8.8 / 13.0
FV20-4T-0055G/0075L	5,5/7,5 KW	275.00	13.0 / 17.0
FV20-4T-0075G/0110L	7,5/11 KW	310.00	17.0 / 25.0
FV20-4T-0110G/0150L	11/15 KW	400.00	25.0 / 32.0
FV20-4T-0150G/0185L	15/18,5 KW	465.00	32.0 / 37.0
FV20-4T-0185G/0220L	18,5/22 KW	525.00	37.0 / 45.0
FV20-4T-0220G/0300L	22/30 KW	770.00	45.0 / 60.0
FV20-4T-0300G/0370L	18,5/22 KW	850.00	60.0 / 75.0

KINCO step drives & motors

Step drives		22.03.2024.
MODEL	Description	Price (€)
2M412	2p, 40VDC/1,2A	68.00
2CM525	2p, 24-50VDC/2.5A	72.00
2CM545	2p, 24-50VDC/4.5A	80.00
2CM560	2p, 24-50VDC/6.0A	96.00
2CM860	2p, 24-70VDC/6.0A	99.00
2CM880	2p, 24-70VDC/8A	99.00
2CM0870	2p,18- 80VDC/7,2A	99.00
2M2280N	2p, 220VAC/8A	230.00
3CM880	3p, 24-70VDC/8A	99.00
3M2280N	3p, 220VAC/8A	230.00

Step motor		22.03.2024.
MODEL	Description	Price (€)
2S42Q-0240	42mm, 2p, 0.4A, 0.22Nm	26.00
2S42Q-0348	42mm, 2p, 1.4A, 0.34Nm	27.00
2S57Q-0541	57mm, 2p, 1.5A, 0.5Nm	26.00
2S57Q-0956	57mm, 2p, 3.92A, 0.9Nm	37.00
2S57Q-1376	57mm, 2p, 3.92A, 1.3Nm	47.00
2S57Q-2280	57mm, 2p, 5.6A, 2.2Nm	50.00
2S57Q-25B2	57mm, 2p, 6A, 2.5Nm	78.00
2S86Q-3465	86mm, 2p, 6A, 3.4Nm	85.00
2S86Q-4580	86mm, 2p, 6A, 4.5Nm	90.00
2S86Q-85B8	86mm, 2p, 6A, 8.5Nm	125.00
2S86Q-051F6	86mm, 2p, 6A, 12.8Nm	160.00
2S110Q-03999	110mm, 2p, 5.5A, 11.7Nm	182.00
2S110Q-047F0	110mm, 2p, 6.5A, 21Nm	230.00
2S110Q-054K1	110mm, 2p, 8A, 28Nm	325.00
2S130Y-039M0	130mm, 2p, 6A, 28Nm	460.00
2S130Y-063R8	130mm, 2p, 7A, 40Nm	530.00
3S57Q-04056	56mm, 3p, 5.8A, 1Nm	43.00
3S57Q-04079	56mm, 3p, 5.8A, 1.8Nm	50.00
3S85Q-04097	85mm, 3p, 5.8A, 4.2Nm	162.00
3S85Q-040F7	85mm, 3p, 4A, 7.5Nm	185.00

Servo systems KINCO

Model	Price (€)	Description	Recommended drive
Motor			
SMC60S-0040-30MAK-3LSU	165.00	Flange 60mm; 400W; 1,27Nm; 3000 rpm	CD423; FD423
SMC80S-0075-30MAK-3LSU	205.00	Flange 80mm; 750W; 2,39Nm; 3000 rpm	CD423; FD423
SMC130D-0100-20GAK-4LSP	280.00	Flange 130mm; 1KW; 4,8Nm; 2000 rpm	FD433
SMC130D-0150-20GAK-4LSP	350.00	Flange 130mm; 1,5KW; 7,2Nm; 2000 rpm	FD433

Model	Price (€)	Description	Recommended motor
Drive			
CD423-AA-000	250.00	AC230V, pulsno	SMC60S; SMC80C
FD423-LA-000	250.00	AC230V, RS232 + RS485	SMC60S; SMC80C
FD423-CA-000	260.00	AC230V, RS232 + CAN	SMC60S; SMC80C
FD433-LA-000	320.00	AC230V, RS232 + RS485	SMC130D
FD433-CA-000	350.00	AC230V, RS232 + CAN	SMC130D

Model	Price (€)	Length	Recommended motor
Motor Cable			
MOT-005-03-KL-Y	12.00	3m	SMC60S; SMC80C
MOT-005-05-KL-Y	20.00	5m	SMC60S; SMC80C
MOT-005-10-KL-Y	36.00	10m	SMC60S; SMC80C
MOT-005-15-KL-Y	56.00	15m	SMC60S; SMC80C

MOT-005-03-KC4	25.00	3m	SMC130D-0100-xxx
MOT-005-05-KC4	30.00	5m	SMC130D-0100-xxx
MOT-005-10-KC4	50.00	10m	SMC130D-0100-xxx
MOT-005-15-KC4	65.00	15m	SMC130D-0100-xxx

MOT-008-03-KC4	28.00	3m	SMC130D-0150-xxx
MOT-008-05-KC4	38.00	5m	SMC130D-0150-xxx
MOT-008-10-KC4	60.00	10m	SMC130D-0150-xxx
MOT-008-15-KC4	85.00	15m	SMC130D-0150-xxx

Model	Price (€)	Length	Recommended motor
Encoder Cable			
ENCDG-03-GU	16.00	3m	SMC60S; SMC80C
ENCDG-05-GU	20.00	5m	SMC60S; SMC80C
ENCDG-10-GU	28.00	10m	SMC60S; SMC80C
ENCDG-15-GU	38.00	15m	SMC60S; SMC80C

ENCDG-03-GC0	20.00	3m	SMC130D
ENCDG-05-GC0	22.00	5m	SMC130D
ENCDG-10-GC0	32.00	10m	SMC130D
ENCDG-15-GC0	44.00	15m	SMC130D

22.03.2024.

Motor Cable	Encoder Cable
MOT-005-xx-KL-Y	ENCDG-xx-GU
MOT-005-xx-KL-Y	ENCDG-xx-GU
MOT-005-xx-KC4	ENCDG-xx-GC0
MOT-008-xx-KC4	ENCDG-xx-GC0

-	
-	
-	
-	
-	

-	
-	
-	
-	

-	
-	
-	
-	

-	
-	
-	
-	

-	
-	
-	
-	

-	
-	
-	
-	